



METRO INFUSION CENTER

Name: _____
 DOB: _____
 Diagnosis/Code: _____ /
 Cancer Stage: _____

Durvalumab (Imfinzi)

Weight: **lb** **kg**

Call for weight change greater than 10% from weight listed on order
 No dose modifications required for any weight change

BSA: N/A
 Mg/Kg dosing

Patient Clearance:

Attach treatment Consent Form

Patient will be seen by Oncology Provider prior to every ____ cycle and cleared for treatment (Metro staff will also review symptoms prior to each treatment)

Acceptable time frame from labs to day of infusion (Metro centers are not all open every day) 3 days/_____ days

Laboratory or Other tests related to treatment that should be completed by referring office prior to clearance for Infusion:

Will be done at referring office (Name and phone# of who to expect labs from):

- CMP with each treatment
- CBC with each treatment
- Other: TSH

Dosing Guidelines/Parameters: Provider must select parameters that will trigger a call from the Infusion staff

- No hold for ANC/Plt
- Hold and call provider for ANC: _____ /Platelet:
- Hold and call for LFT's 3x or ULN and Bilirubin 1.5x ULN
- Hold and call for creatinine 1.5x ULN
- No hold parameters

Hydration Orders: Not required

Premedication and Antiemetic orders: Not required

Treatment orders:

DRUG	DOSE CALCULATION	DOSE	SOLUTION AND VOLUME	ROUTE	RATE	FREQUENCY, DATES TO BE GIVEN and TOTAL DOSES
Durvalumab (Imfinzi)	Flat dosing 10mg/kg	_____mg	As Per Pharmacy	IVPB	60 Minutes	Every _____ weeks
Durvalumab (Imfinzi)	20mg/kg	_____mg	As Per Pharmacy	IVPB	60 Minutes	Every _____ weeks
Durvalumab (Imfinzi)	Flat Dose	1500mg	As Per Pharmacy	IVPB	60 Minutes	Every _____ weeks
			As Per Pharmacy	IVPB	60 Minutes	Every _____ Weeks

If giving with tremelimumab-act (Imjudo)- must give imjudo first and wait 1-2 hours and then administer the durvalumab for first dose only. Subsequent doses can be given within 30 minutes of completion of tremelimumab-act (Imjudo)

Date of intended first treatment at Metro Infusion Center:

Subsequent treatment may be given +/- 2 days or as otherwise specified:

This order is good for 1 year from the date ordered

Other: Administer using a sterile, low-protein binding 0.2 or 0.22 micron in-line filter.

Oral cancer treatment patient is taking:

Call referring provider for:

- | | |
|--|--|
| 1. Rash | Diarrhea of 6/day |
| 2. Elevated LFT's or creatinine as outline above | Severe SOB; pulse oximeter less than 90% |
| 3. Severe fatigue or weight loss | Neurologic changes |
| 4. Other reasons to call: | |

Date: _____

Referring Provider: _____ Phone# _____

SIGNATURE REQUIRED

PRINTED NAME REQUIRED

All information in this order is strictly confidential and will become part of the patient's medical record. Contact us with questions at (877)448-3627. Send completed form and all documentation to confidential email: Intake@metroinfusioncenter.com or fax to (866)507-1164.