



# METRO INFUSION CENTER

Name: \_\_\_\_\_

DOB: \_\_\_\_\_

Diagnosis/Code: \_\_\_\_\_ / \_\_\_\_\_

Cancer Stage: \_\_\_\_\_

## Nivolumab/Relatlimab-rmbw (Opdualag)

Flat dosing or mg/kg

Attach patient Consent Form 

### Patient clearance:

Patient will be seen by Oncology Provider prior to every \_\_\_\_\_ cycle and cleared for treatment (MIC staff will also review symptoms prior to each treatment)

Acceptable time frame from labs to day of infusion (Metro centers are not all open every day) 3 days/\_\_\_\_\_ days

### Laboratory or Other tests related to treatment that should be completed by referring office prior to clearance for Infusion:

**Will be done at referring office (Name and Phone# of who to expect labs from):** \_\_\_\_\_ CMP with each treatment CBC with each treatment Patient should have a TSH; at least every 3 cycles.  Other: \_\_\_\_\_

### Dosing Guidelines/Parameters: Provider must select hold parameters that will trigger a call from the Infusion staff

 Hold and call provider for ANC: \_\_\_\_\_ /Platelet: \_\_\_\_\_ Hold and call for LFT's 3x ULN and/or Bilirubin 1.5x ULN; If different note acceptable parameters: Hold and call for creatinine 1.5x ULN No hold parameters

### Hydration Orders:

 Not required  Other: \_\_\_\_\_

### Premedication and Antimetetic orders:

 Not required (minimal emetogenic potential)

### Treatment orders:

| DRUG  | DOSE CALCULATION<br>Flat dosing | DOSE                                  | SOLUTION AND VOLUME | ROUTE | RATE    | FREQUENCY, DATES TO BE GIVEN and TOTAL DOSES   |
|---|---------------------------------|---------------------------------------|---------------------|-------|---------|--|
| <input type="checkbox"/> Nivolumab/Relatimab (Opdualag) | Flat dosing                     | 480 mg Nivolumab<br>160 mg Relatlimab | As per Pharmacy     | IVPB  | 30 mins | <input type="checkbox"/> Every 4 weeks<br><input type="checkbox"/> Every _____ weeks |
|   |                                 |                                       |                     |       |         |  |

Date of intended first treatment at Metro Infusion Center: \_\_\_\_\_

Subsequent treatment may be given +/- 2 days or as otherwise specified:

***This order is good for 1 year from the date ordered***

### Other:

Use inline non-pyrogenic, low protein binding in-line filter (pore size of 0.2-1.2 micrometer)

Oral cancer treatment patient is taking:

### Call referring provider for:

- Rash Diarrhea of 6/day
- Elevated LFT's or creatinine as outline above Severe SOB; pulse oximeter less than 90%
- Severe fatigue or weight loss Neurologic changes
- Allergic reaction – will plan for premeds with subsequent cycles
- Other reasons to call: \_\_\_\_\_

Date: \_\_\_\_\_

Referring Provider: \_\_\_\_\_ Phone# \_\_\_\_\_

**SIGNATURE REQUIRED****PRINTED NAME REQUIRED**All information in this order is strictly confidential and will become part of the patient's medical record. Contact us with questions at (877)448-3627. Send completed form and all documentation to confidential email: [Intake@metroinfusioncenter.com](mailto:Intake@metroinfusioncenter.com) or fax to (866)507-1164.

Revised 1/9/25