Briumvi (ublituximab-xiiy)



REFERRAL STATUS: LI New I	Referral \square bose or Frequency Change \square Or	der Kenewa	II. Intusion	Oπice P	reterence:	
	PATIENT INF	ORMATION				
Date: Pa	tient Name:	DOB	3:			
□ NKDA Allergies:	Weight (lbs	/ kg):	Height:			
Patient Status: New to Therapy Continuing Therapy - Last Treatment Date: Next Due Date:						
	PROVIDER IN	FORMATIO	N			
Office Contact Name:						
Prescribing Providers Name:		Provider NPI	•			
Office Address:		City:	Sta	te:	Zip:	
Office Phone Number:	ı	Office Fax Nu	ımber:			
DIAGNOSIS AND ICD 10 CODE						
☐ Relapsing-Remitting multiple s	clerosis		ICD-10 Code:	G35.A		
☐ Primary Progressive multiple sclerosis, unspecified			ICD-10 Code:	G35.B0		
☐ Active primary progressive multiple sclerosis			ICD-10 Code:	G35.B1		
□ Non-active primary progressive multiple sclerosis			ICD-10 Code:	G35.B2		
☐ Secondary Progressive multiple sclerosis, unspecified			ICD-10 Code:	G35.C0		
☐ Active secondary progressive multiple sclerosis			ICD-10 Code:	G35.C1		
☐ Non-active secondary progressive multiple sclerosis			ICD-10 Code:	G35.C2		
☐ Multiple sclerosis, unspecified			ICD-10 Code:	G35.D		
	REQUIRED DOCUM	ENTATION/1	Testing			
☐ This signed order form by the provider			□ Recent LFT			
☐ Patient demographics AND insurance info		☐ Hepatitis B Test Results: HBsAg & Total HepB Core Antibody				
☐ Clinical/Progress notes supporti	<u> </u>					
Current MS treatment and end of o			.			
	PRE-MEDICAT	ION ORDER	15		N	
\square acetaminophen (Tylenol) PO \square 500mg \square 650mg \square 1000mg \square diphenhydramine (Benadryl) PO / IV \square 25mg \square 50mg (if route is not circled			ministered)		Note: manufacturer recommended premedication regimen is Tylenol,	
□ methylprednisolone (Solu-Medrol) IV □ 60mg □ 100 mg □ mg			illillistered)		Solu-Medrol and Benadryl	
□ other:						
	MEDICATIO	N ORDERS				
nitial Dosing						
Maintenance Dosing Briumvi 450 mg IV every 24 weeks (to begin 24 weeks from first infusion) Post-infusion monitoring of subsequent infusions is at the physician's discretion. Pt will be released after infusion unless						
Other Dosing :	□ Briumvimg IV		_			
Refills*: □ None □ X6 months	□ X1 year □ Other: *(if	f not indicate	d order will expir	e one year	from date signed)	
	SPECIAL INST	RUCTIONS				
☐ Urine pregnancy test prior	to each infusion					
<u> </u>						
Provider Name (Print)	Physician Signature:			Date:		