



# METRO INFUSION CENTER

Name: \_\_\_\_\_

DOB: \_\_\_\_\_

Diagnosis/Code: \_\_\_\_\_/\_\_\_\_\_

Cancer Stage: \_\_\_\_\_

## Cemiplimab (Libtayo)

**Flat Dosing- no weight required****BSA: N/A**  
Mg/Kg dosing**Patient Clearance:****Attach treatment Consent Form** 

Patient will be seen by Oncology Provider prior to every \_\_\_\_\_ cycle(s) and cleared for treatment (Metro staff will also review symptoms prior to each treatment)

Office Contact Name/Number/Fax: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

Acceptable time frame from labs to day of infusion (Metro centers are not all open every day) 3 days/\_\_\_\_\_ days

**Laboratory or Other tests related to treatment that should be completed by referring office prior to clearance for Infusion:****Will be done at referring office** CMP with each treatment CBC with each treatment TSH  Other: \_\_\_\_\_**Dosing Guidelines/Parameters: Provider must select parameters that will trigger a call from the Infusion staff** Hold and call provider for ANC: \_\_\_\_\_/Platelet: \_\_\_\_\_ Hold and call for LFT's 3x or \_\_\_\_\_ ULN and/or Bilirubin 1.5x ULN Hold and call for creatinine 1.5x ULN No hold parameters**Hydration Orders:**  Not required**Premedication and Antiemetic orders:**  Not required**Treatment orders:**

| DRUG  | DOSE CALCULATION<br>Flat dosing | DOSE  | SOLUTION AND VOLUME | ROUTE | RATE       | FREQUENCY, DATES TO BE GIVEN and TOTAL DOSES |
|---|---------------------------------|-------|---------------------|-------|------------|--|
| <input type="checkbox"/> Cemiplimab (Libtayo) | Flat Dosing                     | 350mg | As Per Pharmacy     | IVPB  | 30 minutes | Every 3 weeks x _____ total doses            |
| <input type="checkbox"/> Cemiplimab (Libtayo) | Flat Dosing                     | 700mg | As Per Pharmacy     | IVPB  | 30 minutes | Every 6 weeks x _____ total doses            |
|   |                                 |       | As Per Pharmacy     | IVPB  |            |  |

Date of intended first treatment at Metro Infusion Center: \_\_\_\_\_

Subsequent treatment may be given +/- 2 days or as otherwise specified:

***This order is good for 1 year from the date ordered*****Other:** Administer using sterile, in-line or add-on 0.2-micron to 5-micron filter

Oral cancer treatment patient is taking: \_\_\_\_\_

**Call referring provider for:**

- |  |  |
|--|--|
| 1. Rash  | Diarrhea of 6/day                        |
| 2. Elevated LFT's or creatinine as outline above | Severe SOB; pulse oximeter less than 90% |
| 3. Severe fatigue or weight loss                 | Neurologic changes                       |
| 4. Other reasons to call:                        |  |

Date: \_\_\_\_\_

Referring Provider: \_\_\_\_\_ Phone# \_\_\_\_\_

**SIGNATURE REQUIRED****PRINTED NAME REQUIRED**All information in this order is strictly confidential and will become part of the patient's medical record. Contact us with questions at (877)448-3627. Send completed form and all documentation to confidential email: [MICreferral@metroinfusioncenter.com](mailto:MICreferral@metroinfusioncenter.com) or fax to (866)507-1164.

Revised 3/8/26